

API Tubing List Sizes, Masses, Wall Thickness, Grade and Application End-Finish

Lables				Outside Diameter	Nominal Linear Masses			Wall thickness	Outside diameter	Nominal Linear Masses			Wall thickness	Types of end-Finish II						
1	2				Non Upset T&C	Ext. Upset T&C	Integ. Joint			Non Upset T&C	Ext. Upset T&C	Integ. Joint		H40	J55	L80 R95	N80 Type 1, Q	C90	T95	P110
	NU T&C	EU T&C	IJ	D mm	kg/m	kg/m	kg/m	t mm	D in	lb/ft	lb/ft	lb/ft	t in							
1.050	1.14	1.20	-	26.67	1.70	1.79	-	2.87	1.050	1.14	1.20	-	0.113	PNU	PNU	PNU	PNU	PNU	PNU	-
1.050	1.48	1.54	-	26.67	2.20	2.29	-	3.91	1.050	1.48	1.54	-	0.154	PU	PU	PU	PU	PU	PU	PU
1.315	1.70	1.80	1.72	33.40	2.53	2.68	2.56	3.38	1.315	1.70	1.80	1.72	0.133	PNUJ	PNUJ	PNUJ	PNUJ	PNUJ	PNUJ	-
1.315	2.19	2.24	-	33.40	3.26	3.33	-	4.55	1.315	2.19	2.24	-	0.179	PU	PU	PU	PU	PU	PU	PU
1.660	2.09	-	2.10	42.16	-	-	3.13	3.18	1.660	-	-	2.10	0.125	PI	PI	-	-	-	-	-
1.660	2.30	2.40	2.33	42.16	3.42	3.57	3.47	3.56	1.660	2.30	2.40	2.33	0.140	PNUJ	PNUJ	PNUJ	PNUJ	PNUJ	PNUJ	-
1.660	3.03	3.07	-	42.16	4.51	4.57	-	4.85	1.660	3.03	3.07	-	0.191	PU	PU	PU	PU	PU	PU	PU
1.900	2.40	-	2.40	48.26	-	-	3.57	3.18	1.900	-	-	2.40	0.125	PI	PI	-	-	-	-	-
1.900	2.75	2.90	2.76	48.26	4.09	4.32	4.11	3.68	1.900	2.75	2.90	2.76	0.145	PNUJ	PNUJ	PNUJ	PNUJ	PNUJ	PNUJ	-
1.900	3.65	3.73	-	48.26	5.43	5.55	-	5.08	1.900	3.65	3.73	-	0.200	PU	PU	PU	PU	PU	PU	PU
1.900	4.42	-	-	48.26	6.58	-	-	6.35	1.900	4.42	-	-	0.250	-	-	P	-	P	P	-
1.900	5.15	-	-	48.26	7.66	-	-	7.62	1.900	5.15	-	-	0.300	-	-	P	-	P	P	-
2.063	3.24	-	3.25	52.40	-	-	4.84	3.96	2.063	-	-	3.25	0.156	PI	PI	PI	PI	PI	PI	-
2.063	4.50	-	-	52.40	-	-	-	5.72	2.063	4.50	-	-	0.225	P	P	P	P	P	P	P
2-3/8	4.00	-	-	60.32	5.95	-	-	4.24	2.375	4.00	-	-	0.167	PN	PN	PN	PN	PN	PN	-
2-3/8	4.60	4.70	-	60.32	6.85	6.99	-	4.83	2.375	4.60	4.70	-	0.190	PNU	PNU	PNU	PNU	PNU	PNU	PNU
2-3/8	5.80	5.95	-	60.32	8.63	8.85	-	6.45	2.375	5.80	5.95	-	0.254	-	-	PNU	PNU	PNU	PNU	PNU
2-3/8	6.60	-	-	60.32	9.82	-	-	7.49	2.375	6.60	-	-	0.295	-	-	P	-	P	P	-
2-3/8	7.35	7.45	-	60.32	10.94	11.09	-	8.53	2.375	7.35	7.45	-	0.336	-	-	PU	-	PU	PU	-
2-7/8	6.40	6.50	-	73.02	9.52	9.67	-	5.51	2.875	6.40	6.50	-	0.217	PNU	PNU	PNU	PNU	PNU	PNU	PNU
2-7/8	7.80	7.90	-	73.02	11.61	11.76	-	7.01	2.875	7.80	7.90	-	0.276	-	-	PNU	PNU	PNU	PNU	PNU
2-7/8	8.60	8.70	-	73.02	12.80	12.95	-	7.82	2.875	8.60	8.70	-	0.308	-	-	PNU	PNU	PNU	PNU	PNU
2-7/8	9.35	9.45	-	73.02	13.91	14.06	-	8.64	2.875	9.35	9.45	-	0.340	-	-	PU	-	PU	PU	-
2-7/8	10.50	-	-	73.02	15.63	-	-	9.96	2.875	10.50	-	-	0.392	-	-	P	-	P	P	-
2-7/8	11.50	-	-	73.02	17.11	-	-	11.18	2.875	11.50	-	-	0.440	-	-	P	-	P	P	-
3-1/2	7.70	-	-	88.90	11.46	-	-	5.49	3.500	7.70	-	-	0.216	PN	PN	PN	PN	PN	PN	-
3-1/2	9.20	9.30	-	88.90	13.69	13.84	-	6.45	3.500	9.20	9.30	-	0.254	PNU	PNU	PNU	PNU	PNU	PNU	PNU
3-1/2	10.20	-	-	88.90	15.18	-	-	7.34	3.500	10.20	-	-	0.289	PN	PN	PN	PN	PN	PN	-
3-1/2	12.70	12.95	-	88.90	18.90	19.27	-	9.52	3.500	12.70	12.95	-	0.375	-	-	PNU	PNU	PNU	PNU	PNU
3-1/2	14.30	-	-	88.90	21.88	-	-	10.92	3.500	14.30	-	-	0.430	-	-	P	-	P	P	-
3-1/2	15.50	-	-	88.90	23.07	-	-	12.09	3.500	15.50	-	-	0.476	-	-	P	-	P	P	-
3-1/2	17.00	-	-	88.90	25.30	-	-	13.46	3.500	17.00	-	-	0.530	-	-	P	-	P	P	-
4	9.50	-	-	101.60	14.14	-	-	5.74	4.000	9.50	-	-	0.226	PN	PN	PN	PN	PN	PN	-
4	10.70	11.00	-	101.60	-	16.37	-	6.65	4.000	-	11.00	-	0.262	PU	PU	PU	PU	PU	PU	-
4	13.20	-	-	101.60	19.64	-	-	8.38	4.000	13.20	-	-	0.330	-	-	P	-	P	P	-
4	16.10	-	-	101.60	23.96	-	-	10.54	4.000	16.10	-	-	0.415	-	-	P	-	P	P	-
4	18.90	-	-	101.60	28.13	-	-	12.70	4.000	18.90	-	-	0.500	-	-	P	-	P	P	-
4	22.20	-	-	101.60	33.04	-	-	15.49	4.000	22.20	-	-	0.610	-	-	P	-	P	P	-
4-1/2	12.60	12.75	-	114.30	18.75	18.97	-	6.88	4.500	12.60	12.75	-	0.271	PNU	PNU	PNU	PNU	PNU	PNU	-
4-1/2	15.20	-	-	114.30	22.62	-	-	8.56	4.500	15.20	-	-	0.337	-	-	P	-	P	P	-
4-1/2	17.00	-	-	114.30	25.30	-	-	9.65	4.500	17.00	-	-	0.380	-	-	P	-	P	P	-
4-1/2	18.90	-	-	114.30	28.13	-	-	10.92	4.500	18.90	-	-	0.430	-	-	P	-	P	P	-
4-1/2	21.50	-	-	114.30	32.00	-	-	12.70	4.500	21.50	-	-	0.500	-	-	P	-	P	P	-
4-1/2	23.70	-	-	114.30	35.27	-	-	14.22	4.500	23.70	-	-	0.560	-	-	P	-	P	P	-
4-1/2	26.10	-	-	114.30	38.84	-	-	16.00	4.500	26.10	-	-	0.630	-	-	P	-	P	P	-

P = Plain end, N = Non-upset threaded and coupled, U = External upset threaded and coupled, I = Integral joint.
 Above data are only for reference and HMTL don't take any liability for the same.